



Type Mark	Count	Description	Frame Finish	Door Leaf Finish	Ironmongery Type
D13	1	D13 - Swartland Cape Culture Solid Meranti Frame Ledge and Braced (FLB) door with rebated meeting stiles. Meranti to have a density of greater than 560kg/m ² . Size and configuration: As shown on the Project Door Schedule. SANS 545 classification: Performance: Heavy duty. Exposure: External. Fire rating: Non-rated. Configuration: Double leaf, single swing. Doors to be delivered with protection for the finished surfaces. Door leaf to receive solid board infill on inside face of leaf up to the mid-rail height, to allow for a stainless steel kickplate to be adhered to it. FRAME: Standard double rebated press steel frame for wall thickness as indicated on plan. To receive paint finish. Colour RAL 7043	Primed and painted to match RAL 7043	Primed and painted as per paint schedule	Refer to ironmongery schedule

GENERAL NOTES		Rev	Date	Int	Description
<ul style="list-style-type: none"> - All installation procedures to comply with good building practice and deemed to satisfy the Architect's requirements. -All exposed timber to be rubbed down smooth prior the application of any finish. -To be supplied and installed with all door frames. -This drawing to be read in conjunction with GA-layouts and all dimensions to be checked on site. -Refer any discrepancies to the Architect in writing. 		A	2024-11-11		For Tender
		B	2024-11-25		For Tender

Title.	Drawing No.	Scale	Date	Rev.
Door Type D13	SMFN-SVA-AR-30_1013	1 : 25	2020/09/02	B